INTELLOFAX 34	CLASSIFICATION	SCRET	25X1	LD 642	- 9 3 25	X1
WIELDIAN OF	Approved For Rehease 20	0 1/07/12/GE	HA-EDERNOOS1	A0024006500 02-2		
	INFORM	IATION	REPOR	CD NO.		i -
COUNTRY	East Germany			DATE DISTR.	34 October	1953
SUBJECT	1954 Import Requirement tion of Electric Power of the Ministry of Heav	and Power	Machine Const.	ra- NO. OF PAGE ruction	S 4	
PLACE ACQUIRED	or meav	y naciiine		NO. OF ENCL.	S.	
DATE OF INFO.			25X1	SUPPLEMENT REPORT NO.	то	
	*					\$
OF US CONTENTS OF	ARRE INFORMATION APPETTING THE CANTONIAL DETERMINE OF WHITE APPETTING THE CANTONIAL DETERMINE OF THE REPORT OF THE REPORT OF ADMINISTRATION OF THE REPURSATION OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE POINT IS PROPERTY.	50 GE	THIS IS UN	EVALUATED INFORI	MOITÀM	Among State
,	The following inforcement of the construction program and Power Lachine (made beginning 1 to "C 12" and boiler 1 1954.	ar of the Construction of the Population 19 plates "C I	ain Ad inistr on. The first 53. The deliv 18" are to be	ration of Electric deliveries are	ic Power to be	dis anti-company of the state o
		letric To		<u>Iussian Profi</u>	le lurber	£
Ι	- NP 24 26	500			(b)	# -
	30 34 38	500 500 500		30 b	(b)	
	40	500 500 500		400	(s)	and the state of t
2. <u>st</u>	ructural steel (according	g to Mi-l	026)			£.
200		n letric T	ons	Russian Profi	le lurber	F
្ញ រូប	26	500 500 500	/	24 b 27 c 30 c	(s)	#: :::::::::::::::::::::::::::::::::::
3. je:	mless pines "St. 35.8"	(according	to DII-2448)			•
	asurement in lillimeters			Weight in let	ric Tons	3
98 38 98 36	x 3.5 x 2.5 x 3.5 x 4 x 4.5 5 x 3			1,700 250 500 300 300 200		to de combinate mentales de la combinate de la
	CLASSIFICATION	SECRET				<u> </u>
	NACY X USRB	DISTRIBU	TION	ORR DV		25X1

BEST COPY Available

... ž ...

Seamless pines "St. 35.8" (according to DIN-2448)

Measurement in Millimeters	Weight in Netric Tons		
44.5 x 4 57 x 3 70 x 3.5 89 x 4.5 108 x 3.75 133 x 4		200 1,000 500 3,3 295	
133 x 5 150 x 4.5 159 x 4.5 159 x 6 216 x 6 216 x 8 267 x 8 300 x 7.5 318 x 8 368 x 9		1,600 1,000 1,600 220 1,850 1,800 1,500	

4. Seamless pines "St. 45.8" (according to DIN-2448)

Measurement in Millimeters	Veight in Netric Tons
32 x 3.5	25
38 x 4	305
38 x 4.5	300
38 x 5	300
44.5 x 3	200
44.5 x 4	200
44.5 x 5	175
57 x 3	50
57 x 4.5	950
70 x 4.5	540
83 x 3.5	160
89 x 3,25	35
102 x 5	100
108 x 5	60
133 x 4	50
159 x 4.5	500
2).6 x 6	115
267 x 8	130

5. Seemless allow pipes "14 Mm 4" (according to DIN-2448)

Measurement in Millimeters	Veight in Netric Tons	
38 x 4	200	
38 x 4.5	200	
44.5 x 4	100	
44.5 x 5	100	

SECRET

6. Seamless alloy pines "15 No 3" (according to DIN-2448)

Measurement in Millimeters	Weight in Metric Tons
32 x 3.5	60
38 x 4	200
38 x 4.5	200
38 x 5	200
44.5 x 3	100
44.5 × 4	100
44.5 x 5	100
57 x 3	15
57 x 4.5	12
95 x 6	120
108 x 3.75	12
133 x 4	5
159 x 4.5	39
171 x 11	120
216 x 6	113
241 x 16	156
267 x 8	316
292 x 18	310
318 x 8	142
318 x 16	78
368 x 10	171
491 x 11	811
520 x 16	630

7. Seamless allow pines "13 Cr No 44" (according to DIN-2448)

Measurement 1	Millimeters	Weight in Metric Tons
32 x 3.5		65
38 x 4		200
38 x 4.5		200
38 x 5		200
44.5 x 3		100
44.5 x 4		100
44.5 x 5		50
57 x 4.5		32
95 x 6		36
108 x 8		ii
133 x 8		39
171 x 9		303
241 x 16		156
241 x 24		289
292 2 18		735

SECRET

25X1

8. Boiler plates "C 12" (officially tested by "TUe")

Quantity	Neesurement	Weight in Fetric Tone	Quentity of Plates	Quantity
	in Millimeters	Each Plate Total	each Boiler	of Boilers
2,000	1,600x2,700x16	0.560 1,120.000		200
1,600	1,100x2,700x12	0.300 480.000		200
1,020	2,450x2,650x15	0.785 799.000	-	170
680	1,100x2,700x12	0.300 204.000		170

9. Boiler plates "C 12" (certified)

leasurement in millimeters	Total Weight in Metric Tons
2,000 x length of roll x 6 2,000 x length of roll x 8 2,000 x length of roll x 10 2,000 x length of roll x 12	400,000 2,500,000 1,200,000 900,000

One-half is to be delivered in the first quarter of 1954 and one-half is to be delivered in the second quarter of 1954.

10. Boiler plates 76 Km 3"

	Measurement.	Weight in Metric Tons		
duentity	<u>in Millimeters</u>	Each Plate	Totel	
50	2,100 x 4,200 x 60	4.240	212.000 1/	
56	$2,000 \times 3,700 \times 55$	4.740	265.440 2/	
14	$3,200 \times 3,700 \times 55$	5.210	72.940	
21	$2,200 \times 3,700 \times 55$	3,590	75.390	
48	$2,100 \times 3,700 \times 50$	3.110	149.280	
56	2,000 x 3,200 x 45	2.310	129,360	
14	3,200 x 3,200 x 52	4.260	59.640	
24	$2,400 \times 2,400 \times 60$	2.770	66.480	
42	$2,200 \pm 2,200 \pm 55$	2.130	89.460	
24	2,000 x 2,000 x 50	1.600	38.400	
42	1,800 x 1,800 x 45	1.170	49.140	

11. Boiler plates "19 Mm 5"

	l'easurement	Weight in Me	tric Tons
Quantity	in Killimeters	Each Plate	Total
200 · 120 100 60	2,200 x 3,700 x 70 2,200 s 3,200 x 60 2,200 x 2,200 x 70 1,800 x 1,800 x 60	4.560 3.380 2.710 1.560	912.000 405.600 271.000 93.300

12. Roiler plates "C 18" (officially tested by "TUe")

25X1

Quantity	Measurement in Millimeters	Each Plate	Total	Quantity of Plater each Boiler	
1,000 400 680 340	2,150 x 6,930 x 17 2,200 Ø x 22 2,300 x 6,300 x 16 2,200 Ø x 20	0.415 1.875 1,	100.000 166.000 275.000 107.750	5 2 4 2	200 200 170 170

25X1